

Crimp Information Sheet

Terminal Part Number: 13627267
 Surface Plating: SN
 Material Thickness [mm]: 0,30
 Cross Section [mm²]: 1,00 | 2,00

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*

Cable Type codes: 1005
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
 Insulation Range Φ [mm]: 2,05 - 2,70
 Seal(s): 13643552 | 10810378

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
1005 1,00 / 13643552		2,23	120	1,55	0,05	2,60	0,10	4,40	0,10	4,60	0,10
1005 2,00 / 10810378		2,58	180	1,75	0,05	2,65	0,10	4,80	0,10	4,80	0,10

Cable type code legend:

1005:

Industry Designator: SAE
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PVC, PVDF, XLPE
 Insul. Wall Designator: THIN



Crimp Information Sheet

Terminal Part Number: 13627267
 Surface Plating: SN
 Material Thickness [mm]: 0,30
 Cross Section [mm²]: 2,00 | 2,50

*This document is non-contractual
 and for information only.
 For more information, please
 consult your local sales office*

Cable Type codes: 2010
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
 Insulation Range Φ [mm]: 2,30 - 3,00
 Seal(s): 10810378

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
2010 2,00 / 10810378		2,46	180	1,75	0,05	2,70	0,10	4,60	0,10	4,60	0,10
2010 2,50 / 10810378		2,80	210	1,89	0,05	2,64	0,10	4,50	0,10	4,60	0,10

Cable type code legend:

2010: ACW0219, FIAT T2 FLRY, FL RENAULT R1, FL RENAULT R3, FLR (AGP0219), FLR2X-A, FLR4Y-A, FLR9Y, FLRX-B, FLRY-A, FLRYB, FLRY-B

Industry Designator: DIN
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PA, POLYOLEFIN, PP, PVC, SYNTHRESIN, XLCOPOLY, XLPBT, XLPE, XLPE/PVDF, XLPVC
 Insul. Wall Designator: THIN



Crimp Information Sheet

Terminal Part Number: 13627267
 Surface Plating: SN
 Material Thickness [mm]: 0,30
 Cross Section [mm²]: 2,00

*This document is non-contractual
 and for information only.*

*For more information, please
 consult your local sales office*

Cable Type codes: 2013
 Crimp Process: (C) CRIMP ONLY - TERMINAL IS APPLIED CRIMP ONLY
 Insulation Range Φ [mm]: 2,50 - 2,80
 Seal(s): 13948585 | 10810378

Cable type / seal	Arrangement	Nominal Insul. diam [mm]	Tear-out force [N]	CCH [mm]	Tol CCH [mm]	CCW [mm]	Tol CCW [mm]	ICH [mm]	Tol ICH [mm]	ICW [mm]	Tol ICW [mm]
2013 2,00 / 13948585		2,65	180	1,75	0,05	2,60	0,10	4,60	0,10	4,60	0,10
2013 2,00 / 10810378		2,65	180	1,75	0,05	2,70	0,10	4,60	0,10	4,60	0,10

Cable type code legend:

2013:

Industry Designator: DIN
 Conductor Material: COPPER
 Conductor Plating: NONE
 Insul. Material: PUR, PVC, SYNTHRESIN, XLPE, XLPE/PVDF
 Insul. Wall Designator: THIN

