



SYMBOL DEFINITION		MISSING SYMBOLS	
A DIMENSION WITHOUT AN INSPECTION REPORT SYMBOL  DOES NOT REQUIRE INSPECTION. IT MAY BE CONTROLLED ON THE INDIVIDUAL COMPONENT DRAWING.	TOTAL NO OF INSPECTIONS REQUIRED	15	NO MISSING SYMBOL NUMBER
	LAST NO. USED	11	




DWG STATUS				REVISION HISTORY				AUTH					
DATE	STG	REV	R/P	CHG	ZONE								
10.JUL08	R	E4	-	-		CLEARED REV COL., REDRAWN TO PD, UPDATED MAT'L CALLOUT				405394	JSM	SCR	AEC
24.JUL09	R	E5	-	-		36.1 +0.15/-0.2 WAS 36.1 +/-0.15 AND REVISED NOTE 3				408458	EFJ	BLG	APR




PULL OUT RIBS PERMITTED ALONG THIS AND OPPOSITE SURFACE



STANDARD CONSTRUCTION
OPTIONAL CONSTRUCTION
CABLE END VIEW OF CONN BODY



INDEX CODE
-1001-
(ALSO SEE HANDBOOK)






NOTES

- UNLESS OTHERWISE SPECIFIED AND/OR INDICATED:
DIMENSIONS ARE TO FACE OF VIEW SHOWN AND AUTOMATICALLY ROUNDED BY COMPUTER FOR INSPECTION (SEE MATH MODEL FOR PRECISE DIMENSIONS). FOR ALL OTHER DIMENSIONS NOT SHOWN BUT REQUIRED FOR TOOL BUILD, SEE MATH MODEL FOR PRECISE TOOL PATH DATA.
- MATERIAL RECYCLING CODE PER ISO 11469. (2.3)X(10.1) CHARACTERS AS SHOWN TO BE LOCATED ON ANY EXTERIOR SURFACE. OPTIONAL CONSTRUCTION TO BE NO MATERIAL RECYCLE CODE.
- THIS PRODUCT IS NOT CATEGORIZED AS AN APPEARANCE ITEM, MINOR IMPERFECTIONS INCLUDING, BUT NOT LIMITED TO, FLOW MARKS, COLOR BLEMISHES, GATE VESTIGE, AND SOFT FLASH THAT DO NOT AFFECT THE FIT, FORM, OR FUNCTION OF THE PART ARE PERMISSIBLE PER DPNP-4.7-CS-01.
- (2.3)X(10.1) DELPHI CORPORATE BRAND TO BE LOCATED ON ANY EXTERIOR SURFACE, PREFERABLY VISIBLE AT FINAL ASSEMBLY. OPTIONAL CONSTRUCTION FOR EXISTING TOOLING MAY BE "PED", OR NO LOGO.
- FOR APPLICATION DATA SEE THE APPLICATION DRAWING.
- SEALING CODE 3.
- CAUTION: DO NOT ATTEMPT TO COPY THIS DRAWING WHEN DESIGNING A MATING PART TO A WEATHER PACK CONNECTOR. PLEASE REQUEST THE LATEST COPY OF DRAWING NUMBER 12020084 FROM THE PACKARD ELECTRIC DIVISION.

PART DRAWING	
STYLE	
VOLUME (CM)	9,094
DISTR CODE	D
UNLESS OTHERWISE SPECIFIED	
THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994 AS MODIFIED BY THE 3D MODEL DIMENSIONING AND TOLERANCING AMERICAN-2001. SEPARATE PATTERNS OF FEATURES MAY BE OBTAINED SEPARATELY REGARDLESS OF DATUM REFERENCES.	
ALL DIMENSIONS ARE IN MILLIMETERS	
REFERENCE	

7 PROCESS SENSITIVE DIMENSION
DIMENSIONS ENCLOSED IN () INDICATE REFERENCE DIMENSIONS AND NO TOLERANCE LIMITS ARE ESTABLISHED

DIMENSIONAL RANGE (MM)	SHAFT FT
FROM > 0	> 20
TO 20	100
100	150
150	200
200	250
250	300
300	400
1 ±0.15	1 ±0.3
2 ±0.3	4 ±0.5
1 ±0.6	1 ±0.8
1 ±1.2	1 ±1.2
ANGULAR TOLERANCE ±2°	

THIRD ANGLE PROJECTION	DO NOT SCALE
	
USE MATH DATA	

DELPHI
DELPHI PACKARD ELECTRICAL/ELECTRONIC ARCHITECTURE
WARREN, OH

DR	DATE
J.E. THIESSE JR.	09.JUL.01
T. MAUDREY	15.JUL.01
F. RIDER	04MR00
A. WINYARD	04MR00
APVD1	
APVD2	
APVD3	
APVD4	
APVD5	

SUBSTANCES OF CONCERN AND RECYCLED CONTENT PER DELPHI 1094900

POLYIMIDE COMPOUND BLACK

DRAWING NAME
CONN 4 M W/P SHD SLD

DRAWING NUMBER
12010974

SIZE	SCALE	FRAME NO	SHEET NO	REV	R/N/P
A1	2:1	1	1 OF 1	R	E5