SYMBOL DEFINITION		
A DIMENSION WITHOUT AN INSPECTION REPORT SYMBOL (□) DOES NOT REQUIRE INSPECTION. IT MAY BE CONTROLLED ON THE INDIVIDUAL COMPONENT DRAWING.	TOTAL NO OF INSPECTIONS REQUIRED	18
	LAST NO. USED	18

MISSING SYMBOLS: NO MISSING SYMBOL NUMBER

DWG STATUS DATE	STG	REV	N/P	CHG	ZONE	REVISION HISTORY	AUTH	DR	AP/D1	AP/D2 & 3
30JL02	R	01	-	-		CLEARED REVISION COLUMN; ALL PARTS - REDRAWN TO PD & UPDATED PDM ATTRIBUTES	226419	JVM	JVM	TTP
12SE03	R	02	-	-		REVISED GRAPHICS	241005	LOA	FKV	CD
17SE03	R	03	-	-		15326266 - UPDATED PDM ATTRIBUTES	245987	ADK	BB	TM
24OC03	R	04	-	-		UPDATED REVISION LEVEL IN CHART.	246088	LMB	LMB	RF
16AU04	R	05	-	-		ADDED TERMINAL I.D. NOTE; REMOVED "PXX" FROM GRAPHICS	258116	TSH	TSH	RF
16MY05	R	06	-	-		ALL PARTS - ADDED 3 COLUMNS TO CHART	268254	JS	JS	LN
05NO0B	R	07	-	-		ALL PARTS - UPDATED PDM ATTRIBUTES	4066B3	RHG	JHP	RHG
16MR10	R	08	-	-		ALL PARTS - UPDATED PDM ATTRIBUTES	410248	FRE	FRE	VMR
04AU10	R	09	-	-		ALL PARTS - ADDED PLATING NOTE, UPDATED MAT'L CALLOUT AND ADDED CONTACT AREA & CRIMP AREA COLUMNS ON CHART	411497	JRL	JRL	VMR
30SE10	R	10	-	-		ALL PARTS - UPDATED PLATING NOTE	412114	AJP	JVM	VMR
23MY11	R	11	-	-		ALL PARTS - ADDED "PREFERRED MAT'L SIZE"	414345	JAR	JAR	VMR





2 RIB SEAL POSITION REF
AND TERMINAL/CABLE ALIGNMENT
SCALE 5:1



3 RIB SEAL POSITION REF
SCALE 5:1



NOTES

1. UNLESS OTHERWISE SPECIFIED AND/OR INDICATED:
   DIMENSIONS ARE TO FACE OF VIEW SHOWN AND AUTOMATICALLY ROUNDED BY COMPUTER FOR INSPECTION. (SEE MATH MODEL FOR PRECISE DIMENSIONS.) FOR ALL OTHER DIMENSIONS NOT SHOWN BUT REQUIRED FOR TOOL BUILD, SEE MATH MODEL FOR PRECISE TOOL PATH DATA.
2. REFERENCE MATING COMPONENTS OR EQUIVALENT:
   TERMINAL - 15304706
3. * DENOTES DIMENSIONS MADE AT CUT-OFF AND CRIMP DIE.
4. DO NOT PROBE, TEST OR OTHERWISE CONTACT THE INTERIOR REGION (THE SPRING OR ANY MOVING PART) OF THIS TERMINAL. SEVERE DAMAGE CAN OCCUR, COMPROMISING THE PERFORMANCE OF THE ELECTRICAL INTERFACE.
5. PLATING TYPE:
   1. REFLOW TIN 1.9-3.3 MICROMETERS THICK WITH A COPPER UNDERPLATE 0.5 MICROMETER TO 1.0 MICROMETER THICK.

   PLATING TYPE INFORMATION SHOWN ABOVE IS REFERENCE ONLY, PLATING REQUIREMENTS ARE CONTAINED IN APPLICABLE MATERIAL SPECIFICATION.

PART NO	REV	N/P	STATUS	PREFERRED MAT'L SIZE	ALTERNATIVE MAT'L SIZE	MAT'L DESCRIPTION	SIZE (MM²)	ID	DIA	TYPE	$B_{\pm 0.2}$	APPLICATION	TYPICAL CABLE SEAL OR EQUIVALENT	TYPICAL SEALING CAVITY CONFIGURATION	CONTACT AREA PLATING TYPE (SEE NOTE 5)	CRIMP AREA PLATING TYPE (SEE NOTE 5)
15326267	04	AG	-	0.3 X 26.7I	0.3 X 27.3B	COPPER ALLOY	0.75 - 0.8	18	2.02 - 1.7	101	2.65	SEALED (MINI)	15305351	3.2 X 4 OVAL	1	1
15326266	04	AG	-	0.3 X 26.7I	0.3 X 27.3B	COPPER ALLOY	0.35 - 0.5	21	1.85 - 1.2	101	2.1	SEALED (MINI)	15366022	3.2 X 4 OVAL	1	1
15326265	04	AG	-	0.3 X 26.7I	0.3 X 27.3B	COPPER ALLOY	0.75 - 1	17	2.25 - 1.7	101	2.65	SEALED (GT)	15366060	Ø 4 ROUND	1	1
15326264	04	AG	-	0.3 X 26.7I	0.3 X 27.3B	COPPER ALLOY	0.35 - 0.5	21	1.85 - 1.2	101	2.1	SEALED (GT)	15366021	Ø 4 ROUND	1	1

(2) PROCESS SENSITIVE DIMENSION

DIMENSIONS ENCLOSED IN ( ) INDICATE REFERENCE DIMENSIONS AND NO TOLERANCE POINTS ARE ESTABLISHED

DIMENSIONAL RANGE (MM)	CHART ID
FROM 0 TO 12	>12

TOLERANCE UNLESS OTHERWISE SPECIFIED
±0.1
ANGULAR TOLERANCE ±2°
±0.2

THIRD ANGLE PROJECTION

DO NOT SCALE USE MATH DATA

DWG TYPE: PART DRAWING
STYLE:
VOLUME (CM³):
DISTR CODE:

UNLESS OTHERWISE SPECIFIED
THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994 AS DEFINED BY THE GM GLOBAL DIMENSIONING AND TOLERANCING HANDBOOK-0381. SEPARATE PATTERNS OF REVISIONS MAY BE SHOWN SEPARATELY FOR METRIC OR ENGLISH REFERENCES.

ALL DIMENSIONS ARE IN MILLIMETERS

REFERENCE:

DELPHI
DELPHI PACKARD ELECTRICAL/ELECTRONIC ARCHITECTURE
WARREN, OH

	DATE
DR:	
AP/D1: H. CASTRILLON	18APR97
AP/D2: FCO. KOPCA	21APR97
AP/D3: S.C. HSIEH	30SE98
AP/D4:	
AP/D5:	

SUBSTANCES OF CONCERN AND RECYCLED CONTENT PER DELPHI LDS49001

MATERIAL: SEE CHART

DRAWING NAME: TAXI TERM F GT 150

DRAWING NUMBER: 12191815

SIZE	SCALE	TYPNAME NO	SHEET NO	STG	REV	N/P
A0	10:1	1 OF 1	2 OF	R	11	-